Uni-7 Series

PRICE COMPUTING SCALE with PRINTER and COLOR TOUCHSCREEN





0.00 0.000 0.00

> 800-472-6703 www.ricelake.com/retail

UNI-7 Series PRICE COMPUTING SCALE with PRINTER and COLOR TOUCHSCREEN

All kinds of spaces? Uni-fy and Unite

Standardize retail price-computing with the many variations of Ishida's Uni-7 Series

Whether operated from a back room, poised on a deli counter, or suspended somewhere in between, Ishida's Uni-7 is a must for today's modern retail settings. The complete Uni-7 Series showcases models for every station type, each a completely networkable scale base and printer, and each a variation on the same highly functional Uni-7 interface.

Front and center is the Uni-7's sleek titanium appearance and one-of-a-kind color touchscreen. Users can customize the display with their own unique product catagories and PLUs. For the most lifelike experience, a tactile sensation and audible tone signals each press of a button. But that's just the beginning. Uni-7 is equipped with a quick-change, front-loading label cassette, and multilingual capability. Easily manage everything from frequent price changes to future meat and nutrition-labeling tasks. Innovation at its best, Ishida's Uni-7 Series is the tool of choice for unifying workspaces everywhere.



Uni-7 Bench and Pole

PRICE-COMPUTING SCALE/PRINTER/COLOR TOUCHSCREEN

A perfect counter-level or bench-top device, this all-in-one scale offers weighing, printing and price computing. Advertise directly to your customers on their own full-color display, housed within the scale itself (bench model) or on an elevated pole.

		12000 2200	NO ROAD COMPANY OF A COMPANY	THE TRUNCT	-
Nutrition		Amount/Serv	ing %Dally	Value*	-
Facts		lotal Fat	49	6%	10.0
Serving Size	4 02	Saturated F	at 15g	8%	
Servings varies		Trans Fat	Og		11 AVE
Calories	130	Cholesterol	65ng	22 %	
Fat Calories	25	Sodium	50ng	2%	
ktorgelt attens in Falser Recurge to feer A with feer Receil Daty Volume at Receil of Volume at		lotal Carboh	drate og	0 %	
		Protein	249		10
		Calcium 2	X trun	14 %	
-	IN	ANUN		1	51

BEEF 75% LEAN



Quickly change Uni-7's label cassettes from the front, saving time for operators and customers alike.

Uni-7 Hanging

PRICE-COMPUTING SCALE/PRINTER/COLOR TOUCHSCREEN

The only hanging scale on the market with a full-color touchscreen. This space-saving, suspended design cradles product in its bowl-shaped pan. Keypad and display remain at eye level, away from busy work areas or moisture.

Uni-7 Self-Serve

4

PRICE-COMPUTING SCALE/PRINTER/ COLOR TOUCHSCREEN

Thanks to a simple, customized large-button keypad and pole-mounted color display, selfservice applications are more feasible than ever. Customers view images for each PLU and follow instructions to weigh and print labels for their own merchandise.

Aside from each transaction, Uni-7's full-color customer display is also a powerful tool for advertising in-store specials.





Uni-7 Elevated

PRICE-COMPUTING SCALE/PRINTER/COLOR TOUCHSCREEN

Bulk Candy & Nuts

Ideal for recessed countertops and similar surfaces, Uni-7's Elevated Type keeps the scale base low while lifting the main controls to a more comfortable level. This model includes both an upper itemized receipt and lower label printer. Full-color customer display is also included at the back of the elevated control panel.



Uni-7 Series PRICE COMPUTING SCALE with PRINTER and COLOR TOUCHSCREEN

Standard Features

- Large color touchscreen
- Dual-range weighing (0-15 lb x 0.005 lb/15-30 lb x 0.01 lb)
- Front-load label cassettes
- Internal wireless communications (WEP, WPA, WPA2) ٠
- Ethernet communications ٠
- Up to 99 pages of speed keys
- Adjustable touchscreen viewing angle
- 77 tactile keys
- 4 MB of memory
- · Color graphics on customer-side display
- Self-serve mode/operation
- 30+ selectable fixed bar code formats •
- Compatible with third-party communication software, including Invatron's PLUM, ADC's InterScale and Droste's PCScale Manager





DROSTESOFTWARE.COM

Models

moneis			
Part #	Description		
109366	Uni-7 Bench with internal RF 30lb capacity		
155266	Uni-7 Bench with internal RF 60lb capacity		
109367	Uni-7 Pole with internal RF 30lb capacity		
155267	Uni-7 Pole with internal RF 60lb capacity		
109369	Uni-7 Self-serve three panels with internal RF 30 lb capacity		
With Elevated Ke	eyboard and Display		
109370	Uni-7 Single Printer with internal RF		
Consult	Uni-7 Twin Printer with internal RF (includes Receipt Printer)		
Hanging			
109371	Uni-7 Hanging Scale with internal RF		
Labeler (no scale base)			
109368	Uni-7, Compact Label Printer with color touchscreen and internal RF		
Remote Scale B	ase		
120673	Uni-7 RP with internal RF		

Options

- SLP-V scale management software, including label design, data back-up and remote diagnostics
- Seafood and produce platters

Specifications

эрсспісацопэ		
Weighing capacity		
(Dual Range):	0-15 x 0.005lb; 15-30 x 0.010lb	
Weighing accuracy:	1/3000	
Operator Display:	Color LCD, 7 in with positive input response	
Customer Display:	Color LCD, 7 in	
Display Items:	Tare: Four-digits Unit price: Six-digits Weight: Five-digits Total Price: Six-digits	
Preset Keys:	1980: 20 x 99 pages	
Memory Capacity:	4 MB expandable to 2 GB	
Communications:	Static TCP/IP 10/100 Base T Ethernet Wireless WEP/WPA/WPA2	
Interface:	USB port	
Platter:	15.7 x 10.8in (398 x 275 mm)	
Print Head:	Direct thermal 2.2 in head (56 mm)	
Print Speed:	3.2 /3.9 /4.7 /5.9in/sec (80 /100 /120 /150 mm/sec)	
Label Size:	Width: 1.2 - 2.5in (30 - 64mm) Length: 0.8 - 7.9in (20 - 200mm)	
Label Roll:	Inside diameter: 1.6in (40mm) min Outside diameter: 3.9in (100mm) max	
Label Backing Paper:	Width: Up to 2.6in (66mm)	
Power Supply:	AC100V/120V, 50/60 Hz	
Power Consumption:	Stand-by: 50W, In operation: 120W	
Classification:	NTEP CC 07-099, UL listed	
Warranty:	One-year limited warranty	

Certifications/Approvals



Your Rice Lake Weighing Systems distributor is:



230 W. Coleman St. • Rice Lake, WI 54868 • USA TEL: 715-234-9171 • FAX: 715-234-6967 • www.ricelake.com/retail

An ISO 9001 registered company © 2013 Rice Lake Weighing Systems PN 116963 5/13 Specifications subject to change without notice.